

## Sealants, Silicones, Glues, Tapes, Admixtures & Foams

Whatever the challenge, be it on the building site or in the kitchen, we have you covered...

---

### ADMIXTURES

#### Panabond Plasticiser

An extra strength admixture. Use at the rate of 100cc per 50kg of cement.

Size	Description	Pack Quantity	Product Code	Barcode
5lt	Liquid	4	PANP005	5099324900412
25lt	Liquid	1	PANP025	5099324900429
200lt	Liquid	1	PANP200	5099324901136

#### Mortar Plasticiser

A liquid admixture for use in bricklaying and plastering mortars. Use at the rate of 280cc per 50kg of cement

Size	Description	Pack Quantity	Product Code	Barcode
5lt	Liquid	4	LPLA005	5099324005506
25lt	Liquid	1	LPLA025	5099324900795
200lt	Liquid	1	LPLA200	5099324901129

#### Panabond Powder Plasticiser

Use at the rate of 15-30g per 50kg of cement.

Size	Description	Pack Quantity	Product Code	Barcode
25kg	Powder	1	PPMP025	5099324006527

#### Panabond Renderplast

A highly concentrated waterproofer and plasticiser, which improves the workability of the mix and gives long-term protection against dampness and driving rain. Dilute by up to one part to 30 parts water. Available in Green and Pink.

Size	Description	Pack Quantity	Product Code	Barcode
5lt	Green Liquid	4	LREN050	5099324900436
25lt	Green Liquid	1	LREN025	5099324900443
200lt	Green Liquid	1	LREN200	5099324901143
5lt	Pink Liquid	4	LREP005	5099324900436
25lt	Pink Liquid	1	LREP025	5099324900443

#### Panabond Liquid Frostproofer & Rapid Hardener

A calcium chloride-based liquid admixture for use as a concrete and mortar accelerator and hardener. Not for use in reinforced concrete.

Size	Description	Pack Quantity	Product Code	Barcode
5lt	Clear Liquid	4	LFRH005	5099324900948
25lt	Clear Liquid	1	LFRH025	5099324900955
200lt	Clear Liquid	1	LFRH210	5099324901099



## Water Proof Powder

Use at the rate of 1kg per 50kg of cement

Size	Description	Pack Quantity	Product Code	Barcode
5kg	Powder	4	FWAP005	5099324901167

## PVA Bond

A multi-purpose adhesive. Also for use as an admixture, bonding agent or primer. High solids content for superior performance.

Size	Pack Quantity	Product Code	Barcode
.5lt	12	APVA00H	5099324900467
1lt	12	APVA001	5099324900474
2.5lt	6	APVA02H	5099324900481
5lt	4	APVA005	5099324900598
5lt (bottle)	4	APVB005	5099324900504
25lt	1	APVA025	5099324900511

## Acrylic Primer

Size	Pack Quantity	Product Code	Barcode
1lt	12	APVA004	5099324001133
2.5lt	6	APVA002	5099324000952
5lt	4	APVA003	5099324000969

## BITUMEN AND ROOFING PRODUCTS

### Panabond Water Stop

A rapid repair sealing compound for roofs, gutters, gullies, and the like. Seals immediately, even underwater and can be applied in all weather conditions. Contains fibres to bridge cracks and holes. Adheres to most surfaces, including aluminium, zinc, lead, glass, stone, asphalt, corrugated asbestos, roofing felt, hard PVC, bituminous waterproof sheeting, tiles, wood etc. 300ml cartridges come with a spatula headpiece for easy application.

Size	Colour	Pack Quantity	Product Code	Barcode
300ml	grey	12	SPWS300	5099324900986
1 Ltr	grey	6	SPWS001	5099324901259
5 Ltr	grey	1	SPWS005	5099324901266

### Flashing Tape

Aluminium foil flashing strip. Self adhesive for new construction or repairs to all parts of roof surface, drainage system and glazing. Grey lead-like finish. In cold weather may require warming before use. A primer is required on rough or porous surfaces. Rolls are 10m in length.

Size	Pack Quantity	Product Code	Barcode
100mm	6	BADD100	5099324902423
150mm	4	BADD150	5099324902430
225mm	2	BADD225	5099324902447
300mm	2	BADD300	5099324902554
450mm	1	BADD450	5099324902461
600mm	1	BADD600	5099324902478

## Black Bitumen Paint

Top quality bitumen paint which gives lasting anti-corrosive protection to all types of metal.

Size	Pack Quantity	Product Code	Barcode
2.5 Ltr	6	BBPA02H	5036684001151
5 Ltr	4	BBPA005	5036684001168
25 Ltr	1	BBPA025	5036684002790

## Panabond Multiprufe

Multi-use rubber bitumen waterproofer and adhesive for floors and walls.

Size	Pack Quantity	Product Code	Barcode
5lt	4	BMUL005	

## Solar Reflective Paint

Solar reflective bituminous paint. For a final solar reflective finish to asphalt, felt, metal and concrete roofs.

Size	Pack Quantity	Product Code	Barcode
5lt	4	BARP005	5036684001410 On Request
25lt	1	BARP025	5036684002820 On Request

## Roofing Felt Adhesive

Cold applied bituminous felt adhesive. A lap cement and dressing compound, brush applied and solvent-based.

Size	Pack Quantity	Product Code	Barcode
1 Lt	6	BFEL001	5036684001298
2.5lt	6	BFEL02H	5036684001304
5lt	4	BFEL005	5036684001311
25lt	1	BFEL025	5036684002776

## Trowel Mastic

Full-bodied trowel applied bituminous mastic for filling gaps and cracks in concrete, asphalt, metal, built-up felt roofs, gutters, downspouts, and the like.

Size	Pack Quantity	Product Code	Barcode
2.5 Ltr	6	BBMA02H	5036684001113
5lt	4	BBMA005	5036684001120
25lt	1	BBMA025	5036684002752

## All Weather Roof Coat

Bitumen compound for waterproofing roofs. Solvent-based, flash point 40°C. Resistant to wash off by rain almost immediately after application.

Size	Pack Quantity	Product Code	Barcode
5lt	4	BWEA005	5036684001205
25lt	1	BWEA025	5036684002769

## Bitumen Primer

Wood decking, concrete and metal surfaces primer. Gives a glossy finish. Solvent based.

Size	Pack Quantity	Product Code	Barcode
1lt	6	BBPR001	5036684001350
2.5lt	6	BBPR02H	5036684002868
5lt	4	BBPR005	5036684001366
25lt	1	BBPR025	5036684002783

## Vent 3 Classic Breathable Underlay

Vent 3 Classic is a triple layer spun bond polypropylene microporous fabric, designed for use in a full-supported or unsupported tiled, slated or metal roof system. Cold and warm roof application, lightweight and flexible, excellent tensile strength, UV stable for up to 3 months, requires no ventilation. BBA accredited. IAB pending

Size	Pack Quantity	Product Code	Barcode
1.5x50m	1	BRUL001	5036684003209

## Protect 2F Non-Breathable Roof Underlay

Lightweight underlay with excellent nail tear resistance. UV and heat stable with excellent tensile strength

Size	Pack Quantity	Product Code	Barcode
1.5x50m	1	BRUL002	5036684103237

## Cement Colouring

### Cement Colouring

A strong powdered cement colouring for use in mortar and concrete. Does not contain inert fillers. Use at the rate of 2%-4% of cement content by weight to achieve shade required. By inter-mixing colours, or varying the rate of usage, multiple shades can be achieved. By using white cement, a range of pastel shades can be achieved.

Size	Colour	Pack Quantity	Product Code	Barcode
1/2 kg	Black	12	FCBL00H	5099324001201
1/2 kg	Red	12	FCRE00H	5099324001256
1/2 kg	Brown	12	FCBR00H	5099324001249
1/2 kg	Yellow	12	FCYE00H	5099324901402
1/2 kg	Marigold	12	FCMA00H	5099324901440
1 kg	Black	12	FCBL001	5099324001218
1 kg	Red	12	FCRE001	5099324001232
1 kg	Brown	12	FCBR001	5099324001225
1 kg	Marigold	12	FCMA001	5099324001457
4.5 kg	Black	1	FCBL005	5099324901310
4.5 kg	Red	1	FCRE005	5099324901341
4.5 kg	Brown	1	FCBR005	5099324901372
4.5 kg	Yellow	1	FCYE005	5099324901426
4.5 kg	Marigold	1	FCMA005	5099324901464
8kg	Black	1	FCBL010	5099324901327
8kg	Red	1	FCRE010	5099324901358
8kg	Brown	1	FCBR010	5099324901389
25 kg	Black	1	FCBL025	5099324901334
25 kg	Red	1	FCRE025	5099324901365
25 kg	Brown	1	FCBR025	5099324901396
25 kg	Yellow	1	FCYE025	5099324901433

# Dycon Product List



25 kg

Marigold

1

FCMA025

5099324901471

## Decorating Products

### Brush Cleaner

A solvent based cleaner which will remove all types of paint except cellulose.

Size	Pack Quantity	Product Code	Barcode
500ml	12	DBRC310	5011338060333

### Brush Restorer and Satin Remover

A solvent for restoring old paint brushes which also removes stains from clothing, furnishings and carpets.

Size	Pack Quantity	Product Code	Barcode
500ml	12	DBRR310	5014205002795

### Sugar Soap Liquid

Ready Mixed solution for cleaning paintwork before repainting.

Size	Pack Quantity	Product Code	Barcode
500ml	12	DLSS310	5011338064331

### Panabond Sugar Soap Powder

A traditional treatment for the removal of grease and dirt from paintwork before painting.

Size	Pack Quantity	Product Code	Barcode
300g	12	DSUS450	5099324002017

### Panabond Painters Filler

A flexible white acrylic filler for interior and exterior use. Can be overpainted after 60 minutes.

Size	Pack Quantity	Product Code	Barcode
380ml	25	SAPF380	5099324005520

### Stabilising Solution

A primer and bonder for porous and unstable surfaces prior to painting, wallpapering or tiling. One litre cover approximately 6m<sup>2</sup>. Interior and exterior use.

Size	Pack Quantity	Product Code	Barcode
5ltr	4	DSTS005	5014205001347

### White Spirits

A standard white spirit

Size	Pack Quantity	Product Code	Barcode
500ml	18	DWSP500	5011338001039
750ml	12	DWSP750	5011338001046

### Caustic Soda

A traditional method for unblocking drains and pipes, cleaning toilet bowls and as a general purpose cleaning agent.

Size	Pack Quantity	Product Code	Barcode
500gms	12	DCSO00H	5099324002000

## EXPANDING FOAMS

### Expanding Foams

High density expanding polyurethane foam filler that bonds, fills and insulates.

Size	Description	Pack Quantity	Product Code	Barcode
750ml	Panabond Hand Held	12	STEX002	5099324902362
750ml	Panabond Gun Grade	12	STEX004	5099324902379
750ml	Akfix Fire Foam	12	STEX003	8699396006592
??ml	Akfix PU Adhesive Gun Foam	12	STEX001	On Request
500ml	Akfix Foam Gun Cleaner(Solvent Gun)	?	STEX005	8699396000248
2 part	Akfix Fence Post	6	STEX006	8699396023681

## FIRE CEMENTS AND PUTTIES

### Vitcas Fire Cement

Suitable for a wide range of applications where heat resistance is required. Tested to 1250°C.

Size	Colour	Pack Quantity	Product Code	Barcode
1kg	Grey	12	HFIC001	On Request
2Kg	Grey	6	HFIC002	On Request
5kg	Grey	4	HFIC050	On Request

## SILICONES, SEALANTS & FILLERS

### Panabond General Purpose Silicone

A high quality general purpose silicone for use around the home and general construction use. Forms a permanent, elastic and waterproof seal.

Size	Colour	Pack Quantity	Product Code	Barcode
300ml	Clear	25	PGPC300	5099324900740
300ml	White	25	PGPW300	5099324900757
300ml	Black	25	PGBL300	5099324900764
300ml	Brown	25	PGBW300	5099324900771
300ml	Grey	25	PGBG300	5099324900788

### Panabond Sanitary Sealant

A superior performing silicone with a strong anti-fungal compound for use around sinks, showers, baths etc.

Size	Colour	Pack Quantity	Product Code	Barcode
300ml	Clear	15	SISC300	5099324900191
300ml	White	15	SISS300	5099324900207



## Panabond All Weather Sealant

A flexible sealant that has excellent adhesion to most building materials including lead, tar, bitumen, asphalt, glass, wood etc. It can be used in the wet and rain and can even be applied in puddles to seal leaks immediately. Available in clear, black, white and brown.

Size	Colour	Pack Quantity	Product Code	Barcode
300ml	Clear	25	SAWS300	5099324007609
300ml	White	25	SAWW300	5099324007623
300ml	Black	25	SAWB300	5099324007616
300ml	Brown	25	SAWR300	5099324007630

## Panabond Painters Filler

A flexible white acrylic filler for interior and exterior use. Can be overpainted after 60 minutes.

Size	Pack Quantity	Product Code	Barcode
380ml	25	SAPF380	5099324005520

## Panabond WaterStop

A rapid repair sealing compound for roofs, gutters, gulleys etc. Seals immediately, even underwater and can be applied in all weather conditions. Contains fibres to bridge cracks and holes. 300ml cartridge comes with a spatula headpiece for easy application.

Size	Colour	Pack Quantity	Product Code	Barcode
300ml	Grey	12	SPWS300	5099324900986
1lt	Grey	6	SPWS001	5099324901259
5lt	Frey	1	SPWS005	5099324901266

## Rust-Oleum Asphalt Repair

A rapid repair for pot-holed asphalt and concrete. Simple to use with no mixing required. Repairs can be driven over immediately after application. Ideal for repairs up to 100mm. Withstands heavy traffic. Coverage approx. 0.5m<sup>2</sup> per 25kg at 24mm thick.

Size	Pack Quantity	Product Code	Barcode
25kg	1	CFLO001	8715743018176

## Metolux Wood Fillers

Size	Colour	Pack Size	Product Code	Barcode
250ml	White	6	METO001	5018567124461
250ml	Teak/Dark Oak	6	METO002	5018567124423
250ml	Light Oak	6	METO003	5018567124799
250ml	Pine	6	METO004	5018567124829
250ml	Mahogany	6	METO005	5018567124478
250ml	Dark	6	METO006	5018567124416
500ml	Pine 2part	4	METO010	5018567124003
500ml	Light Oak 2part	4	METO011	5018567123952
300g	2part Neutral	4	METO030	5018567125123
500g	2Part Décor APF	4	METO040	5018567137102

## All Purpose Powder Filler

An all purpose filler, suitable for interior and exterior use. It is ideal for filling gaps in plaster, skirting, wood and brick.

Size	Pack quantity	Product Code	Barcode
450g	36	DPPF001	5014205000883
1.5kg	10	DPPF004	5014205000890

## All Purpose Ready Mixed Filler

A ready mixed filler, suitable for interior and exterior use. It is ideal for filling gaps in plaster, skirting, wood and brick

Size	Pack quantity	Product Code	Barcode
600g	24	DRPF006	5014205000913
1kg	12	DRPF001	5014205000906

## TAPES

### Blue Dolphin Tape

For the professional. UV resistant for indoor and outdoor use. Good for precision painting with no paint bleeding. Clean and easy removal and environmentally friendly

Size	Pack Quantity	Product Code	Barcode
25mm X 55mm	54	AMTA049	5907758503447
38mm X 55mm	36	AMTA050	5907758503423
48mm X 55mm	5	AMTA051	5907758503430

### Blue Dolphin Painters Hybrid Tape

Size	Pack Quantity	Product Code	Barcode
36mm x 41m	24	AMTA052	5907758516515

### Blue Dolphin Exterior Rough Tape

Size	Pack Quantity	Product Code	Barcode
48mm x 20m	24	AMTA052	5907758516515

### Duct Tapes

Size	Pack Quantity	Product Code	Barcode
48mm X 50m	24	ADTA050	5907758501030
48mm X 10m	24	ADTA048	5907758501016

### Hazard Tape (Black and Yellow)

Size	Pack Quantity	Product Code	Barcode
50mm X 20m	24	ADTA001	5907758504703

### Carton Tape

Size	Pack Quantity	Product Code	Barcode
48mm X 66m	36	ACTA048	5000301060036

## Masking Tape

High quality general purpose masking tape

Size	Pack Quantity	Product Code	Barcode
24mm X 40m	36	AMTA024	5907758500972
36mm X 40m	24	AMTA036	5907758500989
48mm X 40m	24	AMTA048	5907758500996

## PVC Electrical Tape - Black

Size	Pack Quantity	Product Code	Barcode
19mm X 20m	48	AETA019	8012066020351

RADON TAPE 30MM X 30M

ALUMINIUM TAPE 50mm X 45.7m

BLUE DOLPHIN PAINTERS HYBRID 36mm x 41m

BLUE DOLPHIN EXTERIOR ROUGH 48mm x 20m

## TIMBER TREATMENTS

### Dycon Creo-coat

For use as a timber preservative. Dark brown in colour

Size	Pack Quantity	Product Code	Barcode
4lt	4	WCRE004	5099324005209
20lt	1	WCRE020	5099324005216
200lt	1	WCRE200	5099324901693

### Timberex

Oiling provides a deep penetrating, long term and cost effective finish for all timber floors and wooden surfaces. Oiling is suitable in busy commercial areas as well as being ideal for domestic situations. Fast curing, water and wear-resistant, the deep penetrating oils protect wood from within and are superior to thin surface coatings. Refurbishment is easily completed without sanding by simple application of refurbishing oils in conjunction with light buffing. We provide a full range of industrial oils, contractor and DIY tailored finishes, and cleaning and maintenance product

### Hard Wax Oil

Quick drying durable protection for any wood surface This oil is offered in SATIN and MATT finish and can be used on floors, worktops surfaces and furniture. The products is easy-to-apply with no special tools required and will dry within hours and be ready for use within a few hours. Timberex® Hard-Wax Oil is EN71 certified (food and toy-safe) and can also be used for maintenance, repairs and renovation. • Very durable, for medium & high traffic areas • Resistant to liquid spills • Rapid curing • High coverage per litre • Easy application without any special tools

Size	Type	Pack Quantity	Product Code	Barcode
1lt	Matt	6	CTIM001	5413436941383
5lt	Matt	4	CTIM002	5413436941390
1lt	Satin	6	CTIM003	5413436941369
5lt	Satin	4	CTIM004	5413436941376

### Wax Oil

A solvent-free oil containing high-grade Carnauba wax, which greatly enhances colours and grain and allows wood to age naturally into rich varying tones. • Suitable for all common wood types intended for both commercial and domestic situations. • Fast curing: application, wet- and dry-buffing on the same day • Good coverage per litre •

Cures to a deep satin finish • Easy to apply without any special tools

Size	Pack Quantity	Product Code	Barcode
1lt	6	CTIM005	5413436940942
5lt	4	CTIM006	5413436940935

### Heavy Duty UV

Durable oil with UV-blocker which will inhibit the bleaching of the surface by harmful UV rays. Made from natural, fast drying oils and resins, Timberex Heavy Duty UV is designed to penetrate deeply into the wood. Filling and enriching the pores, it cures to seal and protect from within. The buffed surface has a highly wear and water-resistant finish with a deep satin sheen. The natural color of the wood is enriched and grain patterns are highlighted on the smooth, easily maintained surface. Specially formulated for high traffic areas, Timberex Heavy Duty UV is being used extensively in airports, sports halls, museums, offices, conference centres etc.

Size	Pack Quantity	Product Code	Barcode
1lt	6	CTIM007	5413436941413
5lt	4	CTIM008	5413436941420

### Satin Oil

Maintenance oil for oil treated surfaces Timberex® Satin Oil is used for periodic maintenance of floors treated with natural drying oils. • Labour-efficient, easy and rapid maintenance • Surface dry after 3-6 hours • Re-sanding normally not necessary • One layer is sufficient

Size	Pack Quantity	Product Code	Barcode
1lt	6	CTIM009	5413436940096
5lt	4	CTIM010	5413436940089

### Timberguard

A natural protective oil for exterior use Timberguard® is designed for the treatment and care of exterior wooden furniture, doors, decking, windows etc. Timberguard is being offered in Clear, Teak and Bangkirai. • For all wood species • Contains UV-filters to protect wood from ageing • Deep-penetrating, hardening natural oil • Easy to apply by roller, brush or cloth

Size	Pack Quantity	Product Code	Barcode
1lt	6	CTIM011	5413436940188
5lt	4	CTIM012	5413436940177

### Bio C Cleaner

pH7 neutral cleaner for oiled surfaces Timberex® Bio-C is a gentle cleaning agent that has been specially formulated for use on oiled timber floors. • Neutral (pH7) • Non-foaming • Low viscosity, disperses easily in cold water • Biodegradable and non-hazardous • Does not contain perfumes or colouring agents • Solvent-free • Very low odour

Size	Pack Quantity	Product Code	Barcode
1lt	6	CTIM030	5413436940867
5lt	4	CTIM031	5413436940850

## ADHESIVES

### Akfix 360FC

360FC is a one-component, fast curing liquid polyurethane adhesive. It possess high water resistance and bonding strength. Available in two sizes 150ml and 750ml. It is easy to apply, has low viscosity with high bond strength is fast curing and water resistant (D4-DIN EN204).

Size	Pack Quantity	Product Code	Barcode
750ml	12	AWWA025	8699396048233

### D3

D3 PVA White Glue, superframe work is a ready to use water resistant wood adhesive based on polyvinyl acetate single polymer emulsion. It is specially formulated to conform to EN204 (D3). It has excellent bond strength, is easy to use and is water based.

Size	Pack Quantity	Product Code	Barcode
500g	12	AWWA00H	8699396011060

### 705 Universal Fast Adhesive

An adhesive set which contains a high viscosity cyanoacrylate adhesive and activator. It's high strength can even be used on vertical surfaces.

Size	Pack Quantity	Product Code	Barcode
2-pack	12	AWWA001	8699396054944